



HUSQVARNA 226RJ

Husqvarna 226RJ is a highly durable brushcutter developed for tough work. The engine's heavy-duty & easy-service clutch system, together with the efficient airfilter, leads to long product life. Delivered together with a grass blade (Multi 255-3) and a standard double harness.

Especificaciones

Motor



| | |
|--------------------------|----------------------|
| Cilindrada | 25,4 cm ³ |
| Potencia | 0,81 kW |
| Capacidad del tanque | 0,75 l |
| Consumo de combustible | 720 g/kWh |
| Velocidad máxima | 7.500 rpm |
| Velocidad sin carga | 3.000 rpm |
| R.P.M. máximas en salida | 7.500 rpm |
| Holgura de electrodo | 0,65 mm |
| Velocidad de embrague | 3.750 rpm |
| Torsión máx. | 1,16 Nm |
| Torsión máx. a rpm | 6.000 rpm |
| Bujía | NGK BPMR7A |

Equipo



| | |
|------------------------|-----------------------|
| Cuchilla para hierba | Multi 255-3 |
| Arnés OEM | Arnés Husqvarna doble |
| Cuchilla de sierra | 255-80 |
| Cabezal de Trimmer OEM | -- |

Datos del producto



Marca

Husqvarna

Dimensiones totales



GTIN-13/EAN

7391883703113

Dimensiones



Peso (sin equipo de corte)

4,6 kg

Transmisión



Ángulo de corte

30 °

Vibraciones



Nivel de vibraciones equivalente (ahv, eq) izq. / dcha. empuñadura

1,5 m/s²

Nivel de vibraciones equivalente (ahv, eq) izq. / dcha. empuñadura

1,5 m/s²

Nivel de potencia de sonido



Nivel de presión sonora en oído

93 dB(A)

Nivel de potencia de sonido garantizado (LWA)

112 dB(A)

