



## HUSQVARNA 236R

Husqvarna 236R is a highly durable brushcutter developed for tough work. The engine's heavy-duty & easy service clutch system, together with the efficient airfilter, leads to long product life. Delivered together with both trimmer head (T35), grass knife, and standard double harness.

# Especificaciones

## Capacidad



Anchura de corte

33 cm

## Motor



Cilindrada

33,6 cm<sup>3</sup>

Potencia

1,18 kW

Capacidad del tanque

0,74 l

Consumo de combustible

639 g/kWh

Velocidad máxima

7.500 rpm

Velocidad sin carga

2.500 rpm

R.P.M. máximas en salida

5.357 rpm

Holgura de electrodo

0,6 mm

Velocidad de embrague

3.300 rpm

Torsión máx.

1,76 Nm

Torsión máx. a rpm

5.500 rpm

Bujía

NGK BPMR7A

## Equipo



Cuchilla para hierba

Multi 330-2

Arnés OEM

Arnés Husqvarna doble

Cuchilla de sierra	--
Cabezal de Trimmer OEM	T35 M12

## Datos del producto



Marca	Husqvarna
-------	-----------

## Dimensiones totales



GTIN-13/EAN	7391736386913
-------------	---------------

## Dimensiones



Peso (sin equipo de corte)	7,2 kg
----------------------------	--------

## Transmisión



Diámetro de corte	1,4
Ángulo de corte	30 °

## Vibraciones



Nivel de vibraciones equivalente (ahv, eq) izq. / dcha. empuñadura	3,9 m/s <sup>2</sup>
Nivel de vibraciones equivalente (ahv, eq) izq. / dcha. empuñadura	4,3 m/s <sup>2</sup>

## Nivel de potencia de sonido



Nivel de presión sonora en oído	97 dB(A)
Nivel de potencia de sonido garantizado (LWA)	114 dB(A)

---

